

DEPRECATED

Will be removed from allowed conf files that can deploy with Jenkins and removed for AITS maven repository.

- aits-encryption-3_0
- aits-encryption-4_0
- eas-4_2_GA_1
- openeai-4.0
- openeai-4_2_GA
- sdiutil-3_0
- uillinoisEas-3_0

AITS CORE

First choice to use. Will eventually be upgraded to Log4j2.

- Combines aits-encryption-4_0, eas-4_2_GA_1, openeai-4_2_GA, sdiutil-3_0
- Uses JDOM2

```
<dependency>
  <groupId>edu.uillinois.ait.AITSCore</groupId>
  <artifactId>aitsCore</artifactId>
  <version>1.0</version>
</dependency>
```

Need to include aitsCoreProps-1_0.conf when deploy.

For SCT MOA

```
<dependency>
  <groupId>edu.uillinois.ait.AITSCore</groupId>
  <artifactId>aitsCore-sctMoa</artifactId>
  <version>4.0</version>
</dependency>
```

For Toolkit

```
<dependency>
  <groupId>edu.uillinois.ait.AITSCore</groupId>
  <artifactId>aitsCore-toolkit</artifactId>
  <version>1.0</version>
</dependency>
```

For Transports

```
<dependency>
  <groupId>edu.uillinois.ait.AITSCore</groupId>
  <artifactId>aitsCore-transports</artifactId>
  <version>1.0</version>
</dependency>
```

For Uillinois MOA

```
<dependency>
  <groupId>edu.uillinois.ait.AITSCore</groupId>
  <artifactId>aitsCore-uillinoisMoa</artifactId>
  <version>1.0</version>
</dependency>
```

AIMS CORE LEGACY

Second choice to use. Mainly will be needed by applications dealing with OpenII, SCT LDI, and other obscure code. Unsure if will be upgraded to Log4j2.

- Combines aits-encryption-4_0, eas-4_2_GA_1, openeai-4_2_GA, sdiutil-3_0
- Uses JDOM1

```
<dependency>
  <groupId>edu.uillinois.aims</groupId>
  <artifactId>aimsCoreLegacy</artifactId>
  <version>1.0</version>
</dependency>
```

Need to include aitsCoreProps-1_0.conf when deploy.

For MOA (SCT and/or Uillinois)

```
<dependency>
  <groupId>edu.uillinois.aims</groupId>
  <artifactId>uillinoisMoa</artifactId>
  <version>4.0</version>
</dependency>
```

For Toolkit

```
<dependency>
  <groupId>edu.uillinois.aims</groupId>
  <artifactId>toolkit</artifactId>
  <version>1.0</version>
</dependency>
```

For Transports

```
<dependency>
  <groupId>edu.uillinois.aims</groupId>
  <artifactId>transports</artifactId>
  <version>1.0</version>
</dependency>
```

NEUTRAL

banneraccess

```
<dependency>
  <groupId>edu.uillinois.aims</groupId>
  <artifactId>banneraccess</artifactId>
  <version>1.0</version>
</dependency>
```

oracletablejsp 2.0

```
<dependency>
  <groupId>edu.uillinois.aims</groupId>
  <artifactId>oracletablejsp</artifactId>
  <version>2.0</version>
</dependency>
```

scrubbers

```
<dependency>
  <groupId>edu.uillinois.aims</groupId>
```

```

        <artifactId>scrubbers</artifactId>
        <version>1.0</version>
    </dependency>
translatortaglibrary 3.0 (will remove in future)
    <dependency>
        <groupId>edu.uillinois.ait</groupId>
        <artifactId>tagLibrary</artifactId>
        <version>3.0</version>
    </dependency>
translatortaglibrary 4.0
    <dependency>
        <groupId>edu.uillinois.ait</groupId>
        <artifactId>tagLibrary</artifactId>
        <version>4.0</version>
    </dependency>
webAppUtils
    <dependency>
        <groupId>edu.uillinois.ait</groupId>
        <artifactId>webAppUtils</artifactId>
        <version>1.0</version>
    </dependency>
wrappers8
    <dependency>
        <groupId>edu.uillinois.ait</groupId>
        <artifactId>wrappers</artifactId>
        <version>1.0</version>
    </dependency>

```

ALLOWED CONF SETUPS

These will be the only conf files allowed with Jenkins.

```

oracledriver-2_0
    <dependency>
        <groupId>com.oracle</groupId>
        <artifactId>oracledriver</artifactId>
        <version>2.0</version>
        <type>pom</type>
        <scope>provided</scope>
    </dependency>
sonic-10.0
    <dependency>
        <groupId>com.sonic</groupId>
        <artifactId>sonic</artifactId>
        <version>10.0</version>
        <type>pom</type>
        <scope>provided</scope>
    </dependency>

```